

Producto: **Filtro Aster amb vàlvula lateral**

Product: **Aster Filter with lateral valvue**



- . Construidos con resinas de poliéster y fibra de vidrio.
- . Excelente acabado.
- . Tapa en plástico de gran diámetro.
- . Montado con colectores de 1" y difusor de material plástico inalterable.
- . Equipado con manómetro, purga de agua manual, purga de aire automática y manual.
- . Conexiones para válvula selectora de seis vías con operaciones de filtración, lavado, enjuague, recirculación, vaciado y cerrado.
- . Presión máxima de trabajo: 2,5 Kg/cm<sup>2</sup>.

- . Made of polyester resins and glass fibre.
- . Excellent finish.
- . Plastic lid large diameter.
- . Fitted with 1" collector arms and diffuser made from unplasticised.
- . Fitted with pressure gauge, manual water drain cock, automatic and manual air vent cock.
- . Connections to multiport valve with six positions filter, backwash, rinse, recirculate, waste and closed.
- . Maximum working pressure of 2,5 Kg/cm<sup>2</sup>

Producto: **Filtro Aster amb vàlvula lateral**

 Product: **Aster Filter with lateral valvue**
**CARACTERÍSTICAS / CHARACTERISTICS**

<b>Tabla 1</b>	<b>Filtro Aster 2,5 Kg/cm2</b> <b>Aster Filter 2,5 Kg/cm2</b>					
<b>Código</b> <i>Code</i>	00497	00498	19781	32706	00499	21071
<b>Ø (mm)</b>	350	450	500	550	600	650
<b>Conexión (mm)</b> <i>Connections (inch)</i>	1 ½"					
<b>Velocidad de filtración (m3/h/m2)</b> <i>Filtering velocity (m3/h/m2)</i>	50					
<b>Sup. Filtración (m2)</b> <i>Filtration Area (m2)</i>	0,096	0,159	0,196	0,238	0,283	0,332
<b>Caudal (m<sup>3</sup>/h)</b> <i>Flow (m<sup>3</sup>/h)</i>	5	8	9	11,5	14	15
<b>Presión servicio (kg)</b> <i>Working pressure (bar)</i>	2,5					
<b>Carga arena (0,4-0,8mm)</b> <i>Sand (0,4-0,8mm)</i>	50	70	90	110	125	200
<b>Peso Neto (kg)</b> <i>Net weight (kg)</i>	10	18	20	23	25	26
<b>Piscina (m3)</b> <i>Swimming Pool (m3)</i>	40	64	72	92	112	120

Producto: **Filtro Aster con válvula lateral**

 Product: **Aster Filter with lateral valvue**
**CARACTERÍSTICAS / CHARACTERISTICS**

<b>Tabla 2</b>	<b>Filtro Aster 2,5 Kg/cm2</b> <b>Aster Filter 2,5 Kg/cm2</b>					
<b>Código</b> <i>Code</i>	28479	00500	40964	00501	08133	40965
<b>Ø (mm)</b>	680	750	800	900	900	950
<b>Conexión (mm)</b> <i>Connections (inch)</i>	1 ½"	2"		2 ½"	2"	2 ½"
<b>Velocidad de filtración (m3/h/m2)</b> <i>Filtering velocity (m3/h/m2)</i>	50					
<b>Sup. Filtración (m2)</b> <i>Filtration Area (m2)</i>	0,363	0,442	0,503	0,636	0,636	5/7
<b>Caudal (m<sup>3</sup>/h)</b> <i>Flow (m<sup>3</sup>/h)</i>	18	21	25	30	30	35
<b>Presión servicio (kg)</b> <i>Working pressure (bar)</i>	2,5					
<b>Carga arena (0,4-0,8mm)</b> <i>Sand (0,4-0,8mm)</i>	210	305	325	510	515	545
<b>Peso Neto (kg)</b> <i>Net weight (kg)</i>	28	33	40	51	50	65
<b>Piscina (m3)</b> <i>Swimming Pool (m3)</i>	144	168	200	240	240	280

Producto: **Filtro Aster con válvula lateral**Product: **Aster Filter with lateral valvue****EMBALAGE / PACKAGING**

<b>Model</b> <i>MODELO</i>	<b>Box dimension /</b> <i>Dimensiones (m)</i>	<b>Volume (m<sup>3</sup>)</b> <i>Volumen (m<sup>3</sup>)</i>
00497	0,39x0,39x0,76	0,11
00498	0,52x0,52x0,78	0,21
19781	0,56x0,56x0,85	0,26
32706	0,56x0,56x0,85	0,26
00499	0,66x0,66x0,86	0,37
21071	0,7x0,7x0,89	0,43
28479	0,7x0,7x0,89	0,43
00500	0,8x0,8x0,93	0,6
40964	0,8x0,8x0,93	0,6
00501 / 08133	0,98x0,98x1,3	1,25
40965	0,98x0,98x1,3	1,25

Código	Ø	D ( mm )	H ( mm )	M ( mm )	N ( mm )	K ( mm )
00497	350	350	780	420	295	1 ½"
00498	450	450	795	430	305	
19781	500	500	805	415	290	
32706	550	575	825	455	330	
00499	600	600	850	455	330	
21071	650	650	905	495	370	
28479	680	680	915	525	400	
00500	750	750	985	555	325	2"
40964	800	815	960	590	360	2 ½"
00501	900	900	1050	660	390	
08133	900	900	1050	635	365	
40965	950	965	1050	670	400	2 ½"

